Kuietly
acoustic spaces

www.Kuietly.com

Technical File

Klever Line - Desk Fix



kuietly.klever_df_v1

Kuietly
acoustic spaces

01

Dimensions





Desk Fix
LATERAL

Width: 600mm Height: 550mm Thickness: 28mm
Width: 700mm Height: 550mm Thickness: 28mm



Desk Fix
FRONTAL

Width: 1200mm Height: 550mm Thickness: 28mm
Width: 1400mm Height: 550mm Thickness: 28mm
Width: 1600mm Height: 550mm Thickness: 28mm
Width: 1800mm Height: 550mm Thickness: 28mm

Kuietly
acoustic spaces



Kuietly
acoustic spaces

02

Finishes

Faux Leather Finish
Auster

Composition 100% Polyester
Colour Fastness to light DIN 54004
Flame Retardancy DIN 4102 B2
Abrasion resistance 300.000 cycles
Antibacterial, Antifungal and Antimycotic Protection
Anti-Stain finish
Anti-static finish

Faux Leather Finish
Leinen

Composition 100% Polyester
Colour Fastness to light
Flame Retardancy
Abrasion resistance
Antibacterial, Antifungal and Antimycotic Protection
Anti-Stain finish
Anti-static finish

Faux Leather Finish
Pure White

Composition 100% Polyester
Colour Fastness to light
Flame Retardancy DIN 4102 B2
Abrasion resistance 300.000 cycles
Antibacterial, Antifungal and Antimycotic Protection
Anti-Stain finish
Anti-static finish

Faux Leather Finish
Taupe

Composition 100% Polyester
Colour Fastness to light
Flame Retardancy
Abrasion resistance
Antibacterial, Antifungal and Antimycotic Protection
Anti-Stain finish
Anti-static finish



Woven Fabric Finish
Glass

Composition 100% Polypropylene
Weight 220 g/m2
Flammability EN 1021-1 (cigarette) // BS 476 Part 7 Class 1 (Adhered)
EN 13501-1 (SBI) Adhered Class B, s2, d0
Light Fastness 6 (ISO 105 - B02)
Fastness to Rubbing Wet: 4, Dry: 4 (ISO 105 - X12)
Certified to the EU Ecolabel
Certified to Indoor Advantage™ Gold
Cleaning Vacuum regularly, wipe with a damp cloth using a proprietary upholstery shampoo/soap. For deeper cleaning, use bleach or alcohol.
Bleach Cleanable ISO 105 E03 colour change 4 for dilution factor 1:4 chlorine solution

---



Woven Fabric Finish
Easdale

Composition 100% Polypropylene
Weight 220 g/m2
Flammability EN 1021-1 (cigarette) // BS 476 Part 7 Class 1 (Adhered)
EN 13501-1 (SBI) Adhered Class B, s2, d0
Light Fastness 6 (ISO 105 - B02)
Fastness to Rubbing Wet: 4, Dry: 4 (ISO 105 - X12)
Certified to the EU Ecolabel
Certified to Indoor Advantage™ Gold
Cleaning Vacuum regularly, wipe with a damp cloth using a proprietary upholstery shampoo/soap. For deeper cleaning, use bleach or alcohol.
Bleach Cleanable ISO 105 E03 colour change 4 for dilution factor 1:4 chlorine solution

---



Woven Fabric Finish
Lead

Composition 100% Polypropylene
Weight 220 g/m2
Flammability EN 1021-1 (cigarette) // BS 476 Part 7 Class 1 (Adhered)
EN 13501-1 (SBI) Adhered Class B, s2, d0
Light Fastness 6 (ISO 105 - B02)
Fastness to Rubbing Wet: 4, Dry: 4 (ISO 105 - X12)
Certified to the EU Ecolabel
Certified to Indoor Advantage™ Gold
Cleaning Vacuum regularly, wipe with a damp cloth using a proprietary upholstery shampoo/soap. For deeper cleaning, use bleach or alcohol.
Bleach Cleanable ISO 105 E03 colour change 4 for dilution factor 1:4 chlorine solution

---



Woven Fabric Finish
Beltane

Composition 100% Polypropylene
Weight 220 g/m2
Flammability EN 1021-1 (cigarette) // BS 476 Part 7 Class 1 (Adhered)
EN 13501-1 (SBI) Adhered Class B, s2, d0
Light Fastness 6 (ISO 105 - B02)
Fastness to Rubbing Wet: 4, Dry: 4 (ISO 105 - X12)
Certified to the EU Ecolabel
Certified to Indoor Advantage™ Gold
Cleaning Vacuum regularly, wipe with a damp cloth using a proprietary upholstery shampoo/soap. For deeper cleaning, use bleach or alcohol.
Bleach Cleanable ISO 105 E03 colour change 4 for dilution factor 1:4 chlorine solution

---